ELSEVIER

Journal of Nuclear Materials 219 (1995) 285–287

journal of nuclear materials

Author index

Abe, H., see Kinoshita, C. 219 (1995) 152

Baldwin, D.L., see Kopasz, J.P. 219 (1995) 259
Besmann, T.M., J.C. McLaughlin and H.-T. Lin, Fabrication of ceramic composites: forced CVI 219 (1995) 31
Boilot, J.-P., see Renoult, O. 219 (1995) 233
Boncoeur, M., see Renoult, O. 219 (1995) 233
Bradt, R.C., see Sickafus, K.E. 219 (1995) 128
Bradt, R.C., see Li, Z. 219 (1995) 139
Bruce, C., see Kowbel, W. 219 (1995) 15

Chan, S.-K., see Li, Z. 219 (1995) 139
Chen, Y., see Zong, X.-F. 219 (1995) 176
Clinard, Jr., F.W., see Farnum, E.H. 219 (1995) 161
Clinard, Jr., F.W., see Farnum, E.H. 219 (1995) 224
Curtiss, L.A., see Sutjianto, A. 219 (1995) 250

Davis, H.O. and D.R. Petrak, Ceramic matrix composites using polymer pyrolysis and liquid densification processing 219 (1995) 26

El-Azab, A. and N.M. Ghoniem, Investigation of incubation time for sub-critical crack propagation in SiC–SiC composites 219 (1995) 101
Evans, B.D., see Zong, X.-F. 219 (1995) 176
Evans, B.D., A review of the optical properties of anion lattice vacancies, and electrical conduction in α-Al_2O_3: their relation to radiation-induced electrical degradation 219 (1995) 202

Farnum, E.H. and F.W. Clinard, Jr., Electrical properties of Al_2O_3 during irradiation with spallation neutrons 219 (1995) 161
Farnum, E.H., F.W. Clinard, Jr., S.P. Regan and B. Schunke, Neutron damage to diagnostic mirrors 219 (1995) 224
Fukuda, K., see Kinoshita, C. 219 (1995) 143
Fukumoto, K., see Kinoshita, C. 219 (1995) 143
Fukumoto, K., see Kinoshita, C. 219 (1995) 152

Garner, F.A., see Sickafus, K.E. 219 (1995) 128
Garner, F.A., see Ibarra, A. 219 (1995) 135
Garner, F.A., see Li, Z. 219 (1995) 139
Garner, F.A., see Kinoshita, C. 219 (1995) 143
Ghoniem, N.M., see El-Azab, A. 219 (1995) 101
Gonzalez, R., see Zong, X.-F. 219 (1995) 176

Guha, S., P. Kiousis, R. Loutfy and R.D. Watson, Design of low residual stress joints between 3D CC composites and Glidcop copper for divertor applications 219 (1995) 36

Hamilton, H., The thermal cycling behaviour of lithium titanate 219 (1995) 274
Henager, Jr., C.H., see Jones, R.H. 219 (1995) 55
Henager, Jr., C.H., see Hollenberg, G.W. 219 (1995) 70
Hodgson, E.R., see Mollá, J. 219 (1995) 182
Hollenberg, G.L., see Ibarra, A. 219 (1995) 135
Hollenberg, G.W., C.H. Henager, Jr., G.E. Youngblood, D.J. Trimble, S.A. Simonson, G.A. Newsome and E. Lewis, The effect of irradiation on the stability and properties of monolithic silicon carbide and SiC_f/SiC composites up to 25 dpa 219 (1995) 70
Hollenberg, G.W., see Sickafus, K.E. 219 (1995) 128
Hollenberg, G.W., see Kinoshita, C. 219 (1995) 143
Hollenberg, G.W., see Slagle, O.D. 219 (1995) 265
Hsu, D.K., see Liaw, P.K. 219 (1995) 93
Hunn, J.D., R.E. Stoller and S.J. Zinkle, In-situ measurement of radiation-induced conductivity of thin film ceramics 219 (1995) 169

Ibarra, A., F.A. Garner and G.L. Hollenberg, Neutron-induced changes in optical properties of $MgAl_2O_4$ spinel 219 (1995) 135
Ibarra, A., see Mollá, J. 219 (1995) 182
Imaizumi, H., see Tsuchiya, K. 219 (1995) 240

Johnson, C.E., see Tam, S.W. 219 (1995) 87
Johnson, C.E., see Sutjianto, A. 219 (1995) 250
Johnson, C.E., see Kopasz, J.P. 219 (1995) 259
Jones, R.H. and C.H. Henager, Jr., Fusion reactor application issues for low activation SiC/SiC composites 219 (1995) 55

Kainose, M., see Tsuchiya, K. 219 (1995) 246
Kanzawa, T., see Tsuchiya, K. 219 (1995) 240
Kawamura, H., see Tsuchiya, K. 219 (1995) 240
Kawamura, H., see Tsuchiya, K. 219 (1995) 246
Kesternich, W., F. Scheuermann and S. Zinkle, On the measurement of radiation induced electrical degradation in insulating materials 219 (1995) 190
Kinoshita, C., K. Fukumoto, K. Fukuda, F.A. Garner and G.W. Hollenberg, Why is magnesia spinel a radiation-resistant material? 219 (1995) 143

Kinoshita, C., H. Abe, S. Maeda and K. Fukumoto, Effects of concurrent irradiation with ions and electrons on the formation process of defect clusters in covalent and ionic crystals 219 (1995) 152
Kiousis, P., see Guha, S. 219 (1995) 36
Kopasz, J.P., see Tam, S.W. 219 (1995) 87
Kopasz, J.P., C.E. Johnson and D.L. Baldwin, Performance of ceramic breeder materials in the SIBELIUS experiment 219 (1995) 259
Korb, J.-P., see Renoult, O. 219 (1995) 233
Kowbel, W., J.C. Withers, R.O. Loutfy, C. Bruce and C. Kyriacou, Silicon carbide fibers and composites from graphite precursors for fusion energy applications 219 (1995) 15
Kurasawa, T., see Slagle, O.D. 219 (1995) 265
Kyriacou, C., see Kowbel, W. 219 (1995) 15

Larson, A.C., see Sickafus, K.E. 219 (1995) 128
Lewis, E., see Hollenberg, G.W. 219 (1995) 70
Li, Z., S.-K. Chan, F.A. Garner and R.C. Bradt, Elastic stability of high dose neutron irradiated spinel 219 (1995) 139
Liaw, P.K., N. Yu, D.K. Hsu, N. Miriyala, V. Saini, L.L. Snead, C.J. McHargue and R.A. Lowden, Moduli determination of continuous fiber ceramic composites (CFCCs) 219 (1995) 93
Lin, H.-T., see Besmann, T.M. 219 (1995) 31
Liu, S., see Zong, X.-F. 219 (1995) 176
Loutfy, R., see Guha, S. 219 (1995) 36
Loutfy, R.O., see Kowbel, W. 219 (1995) 15
Lowden, R.A., see Liaw, P.K. 219 (1995) 93

Maeda, S., see Kinoshita, C. 219 (1995) 152
McHargue, C.J., see Liaw, P.K. 219 (1995) 93
McLaughlin, J.C., see Besmann, T.M. 219 (1995) 31
Miriyala, N., see Liaw, P.K. 219 (1995) 93
Mollá, J., A. Ibarra and E.R. Hodgson, In-beam dielectric properties of alumina 219 (1995) 182

Nagakura, M., see Tsuchiya, K. 219 (1995) 240
Nakamichi, M., see Tsuchiya, K. 219 (1995) 240
Nastasi, M., see Sickafus, K.E. 219 (1995) 128
Newsome, G.A., see Hollenberg, G.W. 219 (1995) 70

Osborne, M.C., L.L. Snead and D. Steiner, Tensile behavior of irradiated SiC fibers 219 (1995) 63

Pandey, R., see Sutjianto, A. 219 (1995) 250
Petit, D., see Renoult, O. 219 (1995) 233
Petrak, D.R., see Davis, H.O. 219 (1995) 26

Regan, S.P., see Farnum, E.H. 219 (1995) 224
Renoult, O., J.-P. Boilot, J.-P. Korb, D. Petit and M. Boncoeur, Sol–gel lithium aluminate ceramics and tritium extraction mechanisms 219 (1995) 233

Saini, V., see Liaw, P.K. 219 (1995) 93
Saito, M., see Tsuchiya, K. 219 (1995) 240
Saito, M., see Tsuchiya, K. 219 (1995) 246
Scheuermann, F., see Kesternich, W. 219 (1995) 190
Schunke, B., see Farnum, E.H. 219 (1995) 224
Schwarz, O.J., see Snead, L.L. 219 (1995) 3
Sellers, C.H., see Zong, X.-F. 219 (1995) 176
Shen, C.-F., see Zong, X.-F. 219 (1995) 176
Sickafus, K.E., A.C. Larson, N. Yu, M. Nastasi, G.W. Hollenberg, F.A. Garner and R.C. Bradt, Cation disorder in high dose, neutron-irradiated spinel 219 (1995) 128
Simonson, S.A., see Hollenberg, G.W. 219 (1995) 70
Slagle, O.D., T. Kurasawa, T. Takahashi, G.W. Hollenberg and R.A. Verrall, In situ tritium recovery from Li_2O irradiated in a fast neutron flux: BEATRIX-II, Phase II temperature-change canister 219 (1995) 265
Snead, L.L. and O.J. Schwarz, Advanced SiC composites for fusion applications 219 (1995) 3
Snead, L.L., see Osborne, M.C. 219 (1995) 63
Snead, L.L., see Liaw, P.K. 219 (1995) 93
Steiner, D., see Osborne, M.C. 219 (1995) 63
Stoller, R.E., see Hunn, J.D. 219 (1995) 169
Sutjianto, A., S.W. Tam, R. Pandey, L.A. Curtiss and C.E. Johnson, Ab initio calculations for dissociative hydrogen adsorption on lithium oxide surfaces 219 (1995) 250

Takahashi, T., see Slagle, O.D. 219 (1995) 265
Tam, S.W., J.P. Kopasz and C.E. Johnson, Tritium transport and retention in SiC 219 (1995) 87
Tam, S.W., see Sutjianto, A. 219 (1995) 250
Tatenuma, K., see Tsuchiya, K. 219 (1995) 246
Trimble, D.J., see Hollenberg, G.W. 219 (1995) 70
Tsuchiya, K., H. Kawamura, M. Nakamichi, H. Imaizumi, M. Saito, T. Kanzawa and M. Nagakura, Characteristics of Li_2O pebbles fabricated by the melting granulation method 219 (1995) 240
Tsuchiya, K., H. Kawamura, M. Saito, K. Tatenuma and M. Kainose, Lithium reprocessing technology for ceramic breeders 219 (1995) 246

Verrall, R.A., see Slagle, O.D. 219 (1995) 265

Watson, R.D., see Guha, S. 219 (1995) 36
White, D.P., A comparison of the effect of radiation on the thermal conductivity of sapphire at low and high temperatures 219 (1995) 165
Withers, J.C., see Kowbel, W. 219 (1995) 15
Wu, Z., see Zong, X.-F. 219 (1995) 176

Yi Chen, see Zong, X.-F. 219 (1995) 176
Youngblood, G.E., see Hollenberg, G.W. 219 (1995) 70
Yu, N., see Liaw, P.K. 219 (1995) 93
Yu, N., see Sickafus, K.E. 219 (1995) 128

Zhang, R., see Zong, X.-F. 219 (1995) 176
Zhu, J.G., see Zong, X.-F. 219 (1995) 176

Zinkle, S., see Kesternich, W. 219 (1995) 190
Zinkle, S.J., Effect of irradiation spectrum on the microstructural evolution in ceramic insulators 219 (1995) 113
Zinkle, S.J., see Hunn, J.D. 219 (1995) 169
Zong, X.-F., C.-F. Shen, S. Liu, Z. Wu, Yi Chen, R. Zhang, J.G. Zhu, Y. Chen, B.D. Evans, R. Gonzalez and C.H. Sellers, Radiation induced electrical degradation in crystalline Al_2O_3: a bulk effect 219 (1995) 176

ELSEVIER

Journal of Nuclear Materials 219 (1995) 289–294

journal of nuclear materials

Subject index

Breeding Materials

Sol–gel lithium aluminate ceramics and tritium extraction mechanisms, O. Renoult, J.-P. Boilot, J.-P. Korb, D. Petit and M. Boncoeur 219 (1995) 233

Characteristics of Li_2O pebbles fabricated by the melting granulation method, K. Tsuchiya, H. Kawamura, M. Nakamichi, H. Imaizumi, M. Saito, T. Kanzawa and M. Nagakura 219 (1995) 240

Lithium reprocessing technology for ceramic breeders, K. Tsuchiya, H. Kawamura, M. Saito, K. Tatenuma and M. Kainose 219 (1995) 246

Ab initio calculations for dissociative hydrogen adsorption on lithium oxide surfaces, A. Sutjianto, S.W. Tam, R. Pandey, L.A. Curtiss and C.E. Johnson 219 (1995) 250

Performance of ceramic breeder materials in the SIBELIUS experiment, J.P. Kopasz, C.E. Johnson and D.L. Baldwin 219 (1995) 259

In situ tritium recovery from Li_2O irradiated in a fast neutron flux: BEATRIX-II, Phase II temperature-change canister, O.D. Slagle, T. Kurasawa, T. Takahashi, G.W. Hollenberg and R.A. Verrall 219 (1995) 265

The thermal cycling behaviour of lithium titanate, H. Hamilton 219 (1995) 274

Ceramics *(not listed elsewhere)*

Advanced SiC composites for fusion applications, L.L. Snead and O.J. Schwarz 219 (1995) 3

Silicon carbide fibers and composites from graphite precursors for fusion energy applications, W. Kowbel, J.C. Withers, R.O. Loutfy, C. Bruce and C. Kyriacou 219 (1995) 15

Ceramic matrix composites using polymer pyrolysis and liquid densification processing, H.O. Davis and D.R. Petrak 219 (1995) 26

Fabrication of ceramic composites: forced CVI, T.M. Besmann, J.C. McLaughlin and H.-T. Lin 219 (1995) 31

Design of low residual stress joints between 3D CC composites and Glidcop copper for divertor applications, S. Guha, P. Kiousis, R. Loutfy and R.D. Watson 219 (1995) 36

Fusion reactor application issues for low activation SiC/SiC composites, R.H. Jones and C.H. Henager, Jr. 219 (1995) 55

Tensile behavior of irradiated SiC fibers, M.C. Osborne, L.L. Snead and D. Steiner 219 (1995) 63

The effect of irradiation on the stability and properties of monolithic silicon carbide and SiC_f/SiC composites up to 25 dpa, G.W. Hollenberg, C.H. Henager, Jr., G.E. Youngblood, D.J. Trimble, S.A. Simonson, G.A. Newsome and E. Lewis 219 (1995) 70

Tritium transport and retention in SiC, S.W. Tam, J.P. Kopasz and C.E. Johnson 219 (1995) 87

Moduli determination of continuous fiber ceramic composites (CFCCs), P.K. Liaw, N. Yu, D.K. Hsu, N. Miriyala, V. Saini, L.L. Snead, C.J. McHargue and R.A. Lowden 219 (1995) 93

Investigation of incubation time for sub-critical crack propagation in SiC–SiC composites, A. El-Azab and N.M. Ghoniem 219 (1995) 101

Effect of irradiation spectrum on the microstructural evolution in ceramic insulators, S.J. Zinkle 219 (1995) 113

Cation disorder in high dose, neutron-irradiated spinel, K.E. Sickafus, A.C. Larson, N. Yu, M. Nastasi, G.W. Hollenberg, F.A. Garner and R.C. Bradt 219 (1995) 128

Neutron-induced changes in optical properties of $MgAl_2O_4$ spinel, A. Ibarra, F.A. Garner and G.L. Hollenberg 219 (1995) 135

Elastic stability of high dose neutron irradiated spinel, Z. Li, S.-K. Chan, F.A. Garner and R.C. Bradt 219 (1995) 139

Effects of concurrent irradiation with ions and electrons on the formation process of defect clusters in covalent and ionic crystals, C. Kinoshita, H. Abe, S. Maeda and K. Fukumoto 219 (1995) 152

Electrical properties of Al_2O_3 during irradiation with spallation neutrons, E.H. Farnum and F.W. Clinard, Jr. 219 (1995) 161

A comparison of the effect of radiation on the thermal conductivity of sapphire at low and high temperatures, D.P. White 219 (1995) 165

In-situ measurement of radiation-induced conductivity of thin film ceramics, J.D. Hunn, R.E. Stoller and S.J. Zinkle 219 (1995) 169

Radiation induced electrical degradation in crystalline Al_2O_3: a bulk effect, X.-F. Zong, C.-F. Shen, S. Liu, Z. Wu, Yi Chen, R. Zhang, J.G. Zhu, Y. Chen,

B.D. Evans, R. Gonzalez and C.H. Sellers 219 (1995) 176
In-beam dielectric properties of alumina, J. Mollá, A. Ibarra and E.R. Hodgson 219 (1995) 182
On the measurement of radiation induced electrical degradation in insulating materials, W. Kesternich, F. Scheuermann and S. Zinkle 219 (1995) 190
A review of the optical properties of anion lattice vacancies, and electrical conduction in α-Al_2O_3: their relation to radiation-induced electrical degradation, B.D. Evans 219 (1995) 202
Neutron damage to diagnostic mirrors , E.H. Farnum, F.W. Clinard, Jr., S.P. Regan and B. Schunke 219 (1995) 224
Sol–gel lithium aluminate ceramics and tritium extraction mechanisms, O. Renoult, J.-P. Boilot, J.-P. Korb, D. Petit and M. Boncoeur 219 (1995) 233
Characteristics of Li_2O pebbles fabricated by the melting granulation method, K. Tsuchiya, H. Kawamura, M. Nakamichi, H. Imaizumi, M. Saito, T. Kanzawa and M. Nagakura 219 (1995) 240
Lithium reprocessing technology for ceramic breeders, K. Tsuchiya, H. Kawamura, M. Saito, K. Tatenuma and M. Kainose 219 (1995) 246
Ab initio calculations for dissociative hydrogen adsorption on lithium oxide surfaces, A. Sutjianto, S.W. Tam, R. Pandey, L.A. Curtiss and C.E. Johnson 219 (1995) 250
Performance of ceramic breeder materials in the SIBELIUS experiment, J.P. Kopasz, C.E. Johnson and D.L. Baldwin 219 (1995) 259
In situ tritium recovery from Li_2O irradiated in a fast neutron flux: BEATRIX-II, Phase II temperature-change canister, O.D. Slagle, T. Kurasawa, T. Takahashi, G.W. Hollenberg and R.A. Verrall 219 (1995) 265
The thermal cycling behaviour of lithium titanate, H. Hamilton 219 (1995) 274

Composite Materials

Advanced SiC composites for fusion applications, L.L. Snead and O.J. Schwarz 219 (1995) 3
Silicon carbide fibers and composites from graphite precursors for fusion energy applications, W. Kowbel, J.C. Withers, R.O. Loutfy, C. Bruce and C. Kyriacou 219 (1995) 15
Ceramic matrix composites using polymer pyrolysis and liquid densification processing, H.O. Davis and D.R. Petrak 219 (1995) 26
Design of low residual stress joints between 3D CC composites and Glidcop copper for divertor applications, S. Guha, P. Kiousis, R. Loutfy and R.D. Watson 219 (1995) 36
Fusion reactor application issues for low activation SiC/SiC composites, R.H. Jones and C.H. Henager, Jr. 219 (1995) 55
Tensile behavior of irradiated SiC fibers, M.C. Osborne, L.L. Snead and D. Steiner 219 (1995) 63
The effect of irradiation on the stability and properties of monolithic silicon carbide and SiC_f/SiC composites up to 25 dpa, G.W. Hollenberg, C.H. Henager, Jr., G.E. Youngblood, D.J. Trimble, S.A. Simonson, G.A. Newsome and E. Lewis 219 (1995) 70
Moduli determination of continuous fiber ceramic composites (CFCCs), P.K. Liaw, N. Yu, D.K. Hsu, N. Miriyala, V. Saini, L.L. Snead, C.J. McHargue and R.A. Lowden 219 (1995) 93
Investigation of incubation time for sub-critical crack propagation in SiC–SiC composites, A. El-Azab and N.M. Ghoniem 219 (1995) 101

Crystallographic Properties

Cation disorder in high dose, neutron-irradiated spinel, K.E. Sickafus, A.C. Larson, N. Yu, M. Nastasi, G.W. Hollenberg, F.A. Garner and R.C. Bradt 219 (1995) 128

Electrical Properties

Electrical properties of Al_2O_3 during irradiation with spallation neutrons, E.H. Farnum and F.W. Clinard, Jr. 219 (1995) 161
In-situ measurement of radiation-induced conductivity of thin film ceramics, J.D. Hunn, R.E. Stoller and S.J. Zinkle 219 (1995) 169
In-beam dielectric properties of alumina, J. Mollá, A. Ibarra and E.R. Hodgson 219 (1995) 182
On the measurement of radiation induced electrical degradation in insulating materials, W. Kesternich, F. Scheuermann and S. Zinkle 219 (1995) 190

Electron Irradiation

Effects of concurrent irradiation with ions and electrons on the formation process of defect clusters in covalent and ionic crystals, C. Kinoshita, H. Abe, S. Maeda and K. Fukumoto 219 (1995) 152
A review of the optical properties of anion lattice vacancies, and electrical conduction in α-Al_2O_3: their relation to radiation-induced electrical degradation, B.D. Evans 219 (1995) 202

Electron Microscopy

Advanced SiC composites for fusion applications, L.L. Snead and O.J. Schwarz 219 (1995) 3
Effect of irradiation spectrum on the microstructural evolution in ceramic insulators, S.J. Zinkle 219 (1995) 113
Why is magnesia spinel a radiation-resistant material?, C. Kinoshita, K. Fukumoto, K. Fukuda, F.A. Garner and G.W. Hollenberg 219 (1995) 143
Effects of concurrent irradiation with ions and electrons on the formation process

of defect clusters in covalent and ionic crystals, C. Kinoshita, H. Abe, S. Maeda and K. Fukumoto 219 (1995) 152

Experimental Techniques

On the measurement of radiation induced electrical degradation in insulating materials, W. Kesternich, F. Scheuermann and S. Zinkle 219 (1995) 190

Fabrication

Advanced SiC composites for fusion applications, L.L. Snead and O.J. Schwarz 219 (1995) 3

Silicon carbide fibers and composites from graphite precursors for fusion energy applications, W. Kowbel, J.C. Withers, R.O. Loutfy, C. Bruce and C. Kyriacou 219 (1995) 15

Ceramic matrix composites using polymer pyrolysis and liquid densification processing, H.O. Davis and D.R. Petrak 219 (1995) 26

Fabrication of ceramic composites: forced CVI, T.M. Besmann, J.C. McLaughlin and H.-T. Lin 219 (1995) 31

Design of low residual stress joints between 3D CC composites and Glidcop copper for divertor applications, S. Guha, P. Kiousis, R. Loutfy and R.D. Watson 219 (1995) 36

Moduli determination of continuous fiber ceramic composites (CFCCs), P.K. Liaw, N. Yu, D.K. Hsu, N. Miriyala, V. Saini, L.L. Snead, C.J. McHargue and R.A. Lowden 219 (1995) 93

Investigation of incubation time for sub-critical crack propagation in SiC–SiC composites, A. El-Azab and N.M. Ghoniem 219 (1995) 101

Sol–gel lithium aluminate ceramics and tritium extraction mechanisms, O. Renoult, J.-P. Boilot, J.-P. Korb, D. Petit and M. Boncoeur 219 (1995) 233

Characteristics of Li_2O pebbles fabricated by the melting granulation method, K. Tsuchiya, H. Kawamura, M. Nakamichi, H. Imaizumi, M. Saito, T. Kanzawa and M. Nagakura 219 (1995) 240

Lithium reprocessing technology for ceramic breeders, K. Tsuchiya, H. Kawamura, M. Saito, K. Tatenuma and M. Kainose 219 (1995) 246

The thermal cycling behaviour of lithium titanate, H. Hamilton 219 (1995) 274

Fatigue

Moduli determination of continuous fiber ceramic composites (CFCCs), P.K. Liaw, N. Yu, D.K. Hsu, N. Miriyala, V. Saini, L.L. Snead, C.J. McHargue and R.A. Lowden 219 (1995) 93

First Wall Materials

Design of low residual stress joints between 3D CC composites and Glidcop copper for divertor applications, S. Guha, P. Kiousis, R. Loutfy and R.D. Watson 219 (1995) 36

Fracture and Fracture Toughness

Design of low residual stress joints between 3D CC composites and Glidcop copper for divertor applications, S. Guha, P. Kiousis, R. Loutfy and R.D. Watson 219 (1995) 36

Moduli determination of continuous fiber ceramic composites (CFCCs), P.K. Liaw, N. Yu, D.K. Hsu, N. Miriyala, V. Saini, L.L. Snead, C.J. McHargue and R.A. Lowden 219 (1995) 93

Investigation of incubation time for sub-critical crack propagation in SiC–SiC composites, A. El-Azab and N.M. Ghoniem 219 (1995) 101

The thermal cycling behaviour of lithium titanate, H. Hamilton 219 (1995) 274

Fusion Reactors

Advanced SiC composites for fusion applications, L.L. Snead and O.J. Schwarz 219 (1995) 3

Silicon carbide fibers and composites from graphite precursors for fusion energy applications, W. Kowbel, J.C. Withers, R.O. Loutfy, C. Bruce and C. Kyriacou 219 (1995) 15

Investigation of incubation time for sub-critical crack propagation in SiC–SiC composites, A. El-Azab and N.M. Ghoniem 219 (1995) 101

Neutron-induced changes in optical properties of $MgAl_2O_4$ spinel, A. Ibarra, F.A. Garner and G.L. Hollenberg 219 (1995) 135

Ion Irradiation

Effect of irradiation spectrum on the microstructural evolution in ceramic insulators, S.J. Zinkle 219 (1995) 113

Effects of concurrent irradiation with ions and electrons on the formation process of defect clusters in covalent and ionic crystals, C. Kinoshita, H. Abe, S. Maeda and K. Fukumoto 219 (1995) 152

In-situ measurement of radiation-induced conductivity of thin film ceramics, J.D. Hunn, R.E. Stoller and S.J. Zinkle 219 (1995) 169

In-beam dielectric properties of alumina, J. Mollá, A. Ibarra and E.R. Hodgson 219 (1995) 182

On the measurement of radiation induced electrical degradation in insulating materials, W. Kesternich, F. Scheuermann and S. Zinkle 219 (1995) 190

Joining

Ceramic matrix composites using polymer pyrolysis and liquid densification processing, H.O. Davis and D.R. Petrak 219 (1995) 26

Design of low residual stress joints between 3D CC composites and Glidcop copper for divertor applications, S. Guha, P. Kiousis, R. Loutfy and R.D. Watson 219 (1995) 36

Low Activation and Low Activation Materials *(includes Reduced Activation)*

Design of low residual stress joints between 3D CC composites and Glidcop copper

for divertor applications, S. Guha, P. Kiousis, R. Loutfy and R.D. Watson 219 (1995) 36
Fusion reactor application issues for low activation SiC/SiC composites, R.H. Jones and C.H. Henager, Jr. 219 (1995) 55
Tensile behavior of irradiated SiC fibers, M.C. Osborne, L.L. Snead and D. Steiner 219 (1995) 63
The effect of irradiation on the stability and properties of monolithic silicon carbide and SiC_f/SiC composites up to 25 dpa, G.W. Hollenberg, C.H. Henager, Jr., G.E. Youngblood, D.J. Trimble, S.A. Simonson, G.A. Newsome and E. Lewis 219 (1995) 70
Tritium transport and retention in SiC, S.W. Tam, J.P. Kopasz and C.E. Johnson 219 (1995) 87
The thermal cycling behaviour of lithium titanate, H. Hamilton 219 (1995) 274

Mechanical Properties *(not listed elsewhere)*
Advanced SiC composites for fusion applications, L.L. Snead and O.J. Schwarz 219 (1995) 3
Silicon carbide fibers and composites from graphite precursors for fusion energy applications, W. Kowbel, J.C. Withers, R.O. Loutfy, C. Bruce and C. Kyriacou 219 (1995) 15
Ceramic matrix composites using polymer pyrolysis and liquid densification processing, H.O. Davis and D.R. Petrak 219 (1995) 26
Fabrication of ceramic composites: forced CVI, T.M. Besmann, J.C. McLaughlin and H.-T. Lin 219 (1995) 31
Moduli determination of continuous fiber ceramic composites (CFCCs), P.K. Liaw, N. Yu, D.K. Hsu, N. Miriyala, V. Saini, L.L. Snead, C.J. McHargue and R.A. Lowden 219 (1995) 93
Investigation of incubation time for sub-critical crack propagation in SiC–SiC composites, A. El-Azab and N.M. Ghoniem 219 (1995) 101
Characteristics of Li_2O pebbles fabricated by the melting granulation method, K. Tsuchiya, H. Kawamura, M. Nakamichi, H. Imaizumi, M. Saito, T. Kanzawa and M. Nagakura 219 (1995) 240
The thermal cycling behaviour of lithium titanate, H. Hamilton 219 (1995) 274

Neutron Irradiation
Tensile behavior of irradiated SiC fibers, M.C. Osborne, L.L. Snead and D. Steiner 219 (1995) 63
The effect of irradiation on the stability and properties of monolithic silicon carbide and SiC_f/SiC composites up to 25 dpa, G.W. Hollenberg, C.H. Henager, Jr., G.E. Youngblood, D.J. Trimble, S.A. Simonson, G.A. Newsome and E. Lewis 219 (1995) 70
Cation disorder in high dose, neutron-irradiated spinel, K.E. Sickafus, A.C. Larson, N. Yu, M. Nastasi, G.W. Hollenberg, F.A. Garner and R.C. Bradt 219 (1995) 128
Neutron-induced changes in optical properties of $MgAl_2O_4$ spinel, A. Ibarra, F.A. Garner and G.L. Hollenberg 219 (1995) 135
Elastic stability of high dose neutron irradiated spinel, Z. Li, S.-K. Chan, F.A. Garner and R.C. Bradt 219 (1995) 139
Why is magnesia spinel a radiation-resistant material?, C. Kinoshita, K. Fukumoto, K. Fukuda, F.A. Garner and G.W. Hollenberg 219 (1995) 143
Electrical properties of Al_2O_3 during irradiation with spallation neutrons, E.H. Farnum and F.W. Clinard, Jr. 219 (1995) 161
Radiation induced electrical degradation in crystalline Al_2O_3: a bulk effect, X.-F. Zong, C.-F. Shen, S. Liu, Z. Wu, Yi Chen, R. Zhang, J.G. Zhu, Y. Chen, B.D. Evans, R. Gonzalez and C.H. Sellers 219 (1995) 176
A review of the optical properties of anion lattice vacancies, and electrical conduction in α-Al_2O_3: their relation to radiation-induced electrical degradation, B.D. Evans 219 (1995) 202
Neutron damage to diagnostic mirrors , E.H. Farnum, F.W. Clinard, Jr., S.P. Regan and B. Schunke 219 (1995) 224
Performance of ceramic breeder materials in the SIBELIUS experiment, J.P. Kopasz, C.E. Johnson and D.L. Baldwin 219 (1995) 259
In situ tritium recovery from Li_2O irradiated in a fast neutron flux: BEATRIX-II, Phase II temperature-change canister, O.D. Slagle, T. Kurasawa, T. Takahashi, G.W. Hollenberg and R.A. Verrall 219 (1995) 265

Optical Microscopy
The effect of irradiation on the stability and properties of monolithic silicon carbide and SiC_f/SiC composites up to 25 dpa, G.W. Hollenberg, C.H. Henager, Jr., G.E. Youngblood, D.J. Trimble, S.A. Simonson, G.A. Newsome and E. Lewis 219 (1995) 70

Permeation
Advanced SiC composites for fusion applications, L.L. Snead and O.J. Schwarz 219 (1995) 3
Tritium transport and retention in SiC, S.W. Tam, J.P. Kopasz and C.E. Johnson 219 (1995) 87

Physical Properties *(not listed elsewhere)*
Neutron-induced changes in optical properties of $MgAl_2O_4$ spinel, A. Ibarra, F.A. Garner and G.L. Hollenberg 219 (1995) 135
Neutron damage to diagnostic mirrors , E.H. Farnum, F.W. Clinard, Jr., S.P. Regan and B. Schunke 219 (1995) 224

Powder Processes and Products
Characteristics of Li_2O pebbles fabricated by the melting granulation method, K. Tsuchiya, H. Kawamura, M. Nakamichi,

H. Imaizumi, M. Saito, T. Kanzawa and M. Nagakura 219 (1995) 240
Lithium reprocessing technology for ceramic breeders, K. Tsuchiya, H. Kawamura, M. Saito, K. Tatenuma and M. Kainose 219 (1995) 246
The thermal cycling behaviour of lithium titanate, H. Hamilton 219 (1995) 274

Radiation Effects: Atomic Defects

Cation disorder in high dose, neutron-irradiated spinel, K.E. Sickafus, A.C. Larson, N. Yu, M. Nastasi, G.W. Hollenberg, F.A. Garner and R.C. Bradt 219 (1995) 128
Neutron-induced changes in optical properties of $MgAl_2O_4$ spinel, A. Ibarra, F.A. Garner and G.L. Hollenberg 219 (1995) 135
Effects of concurrent irradiation with ions and electrons on the formation process of defect clusters in covalent and ionic crystals, C. Kinoshita, H. Abe, S. Maeda and K. Fukumoto 219 (1995) 152
Electrical properties of Al_2O_3 during irradiation with spallation neutrons, E.H. Farnum and F.W. Clinard, Jr. 219 (1995) 161
A comparison of the effect of radiation on the thermal conductivity of sapphire at low and high temperatures, D.P. White 219 (1995) 165
Radiation induced electrical degradation in crystalline Al_2O_3: a bulk effect, X.-F. Zong, C.-F. Shen, S. Liu, Z. Wu, Yi Chen, R. Zhang, J.G. Zhu, Y. Chen, B.D. Evans, R. Gonzalez and C.H. Sellers 219 (1995) 176
In-beam dielectric properties of alumina, J. Mollá, A. Ibarra and E.R. Hodgson 219 (1995) 182
On the measurement of radiation induced electrical degradation in insulating materials, W. Kesternich, F. Scheuermann and S. Zinkle 219 (1995) 190
A review of the optical properties of anion lattice vacancies, and electrical conduction in α-Al_2O_3: their relation to radiation-induced electrical degradation, B.D. Evans 219 (1995) 202
Neutron damage to diagnostic mirrors , E.H. Farnum, F.W. Clinard, Jr., S.P. Regan and B. Schunke 219 (1995) 224

Radiation Effects: Extended Defects, Microstructures

Effect of irradiation spectrum on the microstructural evolution in ceramic insulators, S.J. Zinkle 219 (1995) 113
Neutron-induced changes in optical properties of $MgAl_2O_4$ spinel, A. Ibarra, F.A. Garner and G.L. Hollenberg 219 (1995) 135
Why is magnesia spinel a radiation-resistant material?, C. Kinoshita, K. Fukumoto, K. Fukuda, F.A. Garner and G.W. Hollenberg 219 (1995) 143
Effects of concurrent irradiation with ions and electrons on the formation process of defect clusters in covalent and ionic crystals, C. Kinoshita, H. Abe, S. Maeda and K. Fukumoto 219 (1995) 152
Radiation induced electrical degradation in crystalline Al_2O_3: a bulk effect, X.-F. Zong, C.-F. Shen, S. Liu, Z. Wu, Yi Chen, R. Zhang, J.G. Zhu, Y. Chen, B.D. Evans, R. Gonzalez and C.H. Sellers 219 (1995) 176
A review of the optical properties of anion lattice vacancies, and electrical conduction in α-Al_2O_3: their relation to radiation-induced electrical degradation, B.D. Evans 219 (1995) 202
Neutron damage to diagnostic mirrors , E.H. Farnum, F.W. Clinard, Jr., S.P. Regan and B. Schunke 219 (1995) 224

Radiation Effects: Mechanical Properties

Fusion reactor application issues for low activation SiC/SiC composites, R.H. Jones and C.H. Henager, Jr. 219 (1995) 55
Tensile behavior of irradiated SiC fibers, M.C. Osborne, L.L. Snead and D. Steiner 219 (1995) 63
The effect of irradiation on the stability and properties of monolithic silicon carbide and SiC_f/SiC composites up to 25 dpa, G.W. Hollenberg, C.H. Henager, Jr., G.E. Youngblood, D.J. Trimble, S.A. Simonson, G.A. Newsome and E. Lewis 219 (1995) 70
Elastic stability of high dose neutron irradiated spinel, Z. Li, S.-K. Chan, F.A. Garner and R.C. Bradt 219 (1995) 139

Radiation Effects: Physical Properties

The effect of irradiation on the stability and properties of monolithic silicon carbide and SiC_f/SiC composites up to 25 dpa, G.W. Hollenberg, C.H. Henager, Jr., G.E. Youngblood, D.J. Trimble, S.A. Simonson, G.A. Newsome and E. Lewis 219 (1995) 70
Neutron-induced changes in optical properties of $MgAl_2O_4$ spinel, A. Ibarra, F.A. Garner and G.L. Hollenberg 219 (1995) 135
Why is magnesia spinel a radiation-resistant material?, C. Kinoshita, K. Fukumoto, K. Fukuda, F.A. Garner and G.W. Hollenberg 219 (1995) 143
Radiation induced electrical degradation in crystalline Al_2O_3: a bulk effect, X.-F. Zong, C.-F. Shen, S. Liu, Z. Wu, Yi Chen, R. Zhang, J.G. Zhu, Y. Chen, B.D. Evans, R. Gonzalez and C.H. Sellers 219 (1995) 176
A review of the optical properties of anion lattice vacancies, and electrical conduction in α-Al_2O_3: their relation to radiation-induced electrical degradation, B.D. Evans 219 (1995) 202

Reprocessing
Lithium reprocessing technology for ceramic breeders, K. Tsuchiya, H. Kawamura, M. Saito, K. Tatenuma and M. Kainose 219 (1995) 246

Silicon and Silicon Compounds
Advanced SiC composites for fusion applications, L.L. Snead and O.J. Schwarz 219 (1995) 3
Silicon carbide fibers and composites from graphite precursors for fusion energy applications, W. Kowbel, J.C. Withers, R.O. Loutfy, C. Bruce and C. Kyriacou 219 (1995) 15
Fabrication of ceramic composites: forced CVI, T.M. Besmann, J.C. McLaughlin and H.-T. Lin 219 (1995) 31
Design of low residual stress joints between 3D CC composites and Glidcop copper for divertor applications, S. Guha, P. Kiousis, R. Loutfy and R.D. Watson 219 (1995) 36
Fusion reactor application issues for low activation SiC/SiC composites, R.H. Jones and C.H. Henager, Jr. 219 (1995) 55
Tensile behavior of irradiated SiC fibers, M.C. Osborne, L.L. Snead and D. Steiner 219 (1995) 63
The effect of irradiation on the stability and properties of monolithic silicon carbide and SiC_f/SiC composites up to 25 dpa, G.W. Hollenberg, C.H. Henager, Jr., G.E. Youngblood, D.J. Trimble, S.A. Simonson, G.A. Newsome and E. Lewis 219 (1995) 70
Tritium transport and retention in SiC, S.W. Tam, J.P. Kopasz and C.E. Johnson 219 (1995) 87
Moduli determination of continuous fiber ceramic composites (CFCCs), P.K. Liaw, N. Yu, D.K. Hsu, N. Miriyala, V. Saini, L.L. Snead, C.J. McHargue and R.A. Lowden 219 (1995) 93
Investigation of incubation time for sub-critical crack propagation in SiC–SiC composites, A. El-Azab and N.M. Ghoniem 219 (1995) 101

Surface Effects
Ab initio calculations for dissociative hydrogen adsorption on lithium oxide surfaces, A. Sutjianto, S.W. Tam, R. Pandey, L.A. Curtiss and C.E. Johnson 219 (1995) 250
Performance of ceramic breeder materials in the SIBELIUS experiment, J.P. Kopasz, C.E. Johnson and D.L. Baldwin 219 (1995) 259

Swelling
Advanced SiC composites for fusion applications, L.L. Snead and O.J. Schwarz 219 (1995) 3
The effect of irradiation on the stability and properties of monolithic silicon carbide and SiC_f/SiC composites up to 25 dpa, G.W. Hollenberg, C.H. Henager, Jr., G.E. Youngblood, D.J. Trimble, S.A. Simonson, G.A. Newsome and E. Lewis 219 (1995) 70
Why is magnesia spinel a radiation-resistant material?, C. Kinoshita, K. Fukumoto, K. Fukuda, F.A. Garner and G.W. Hollenberg 219 (1995) 143

Thermophysical Properties
Fusion reactor application issues for low activation SiC/SiC composites, R.H. Jones and C.H. Henager, Jr. 219 (1995) 55
The effect of irradiation on the stability and properties of monolithic silicon carbide and SiC_f/SiC composites up to 25 dpa, G.W. Hollenberg, C.H. Henager, Jr., G.E. Youngblood, D.J. Trimble, S.A. Simonson, G.A. Newsome and E. Lewis 219 (1995) 70
A comparison of the effect of radiation on the thermal conductivity of sapphire at low and high temperatures, D.P. White 219 (1995) 165

Tritium and Tritides
Sol–gel lithium aluminate ceramics and tritium extraction mechanisms, O. Renoult, J.-P. Boilot, J.-P. Korb, D. Petit and M. Boncoeur 219 (1995) 233
Ab initio calculations for dissociative hydrogen adsorption on lithium oxide surfaces, A. Sutjianto, S.W. Tam, R. Pandey, L.A. Curtiss and C.E. Johnson 219 (1995) 250
Performance of ceramic breeder materials in the SIBELIUS experiment, J.P. Kopasz, C.E. Johnson and D.L. Baldwin 219 (1995) 259
In situ tritium recovery from Li_2O irradiated in a fast neutron flux: BEATRIX-II, Phase II temperature-change canister, O.D. Slagle, T. Kurasawa, T. Takahashi, G.W. Hollenberg and R.A. Verrall 219 (1995) 265